

## ANALYSIS REPORT

### Replacement Report

**Job No:** J2312-0919  
**Date Issued:** 21-Dec-2023  
**Report Number:** 268976

*This report replaces Report Number:* 268838

**Attention:** John Conte  
**Client:** Mason Bros  
**Address:** 1 Masons Lane  
 WERRIBEE SOUTH VIC 3030

**Purchase Order:** REC 8/12/23  
**Date Sampled:**  
**Date Received:** 08-Dec-2023

#### The following sample was analysed:

##### Sample ID

S23-0132567      Your Reference      MASON 34 BROCCOLI  
 Product      Broccoli  
 Description      MASON 34 BROCCOLI

**Analysis of this sample conducted between 08-Dec-2023 and 15-Dec-2023**

#### Analysis Results

Determinant	MRL	LOR	Result
<b>AT3 Chemicals Test List (TP/311 &amp; 312)</b>			
S23-0132567	2-phenylphenol	N/A	<0.010 mg/kg
S23-0132567	Abamectin	N/A	<0.010 mg/kg
S23-0132567	Acephate	< 5	<0.010 mg/kg
S23-0132567	Aldrin	< 0.10	<0.010 mg/kg
S23-0132567	Atrazine	N/A	<0.010 mg/kg
S23-0132567	Azinphos methyl	N/A	<0.010 mg/kg
S23-0132567	Benalaxyl	N/A	<0.010 mg/kg
S23-0132567	BHC alpha	N/A	<0.010 mg/kg
S23-0132567	BHC beta	N/A	<0.010 mg/kg
S23-0132567	BHC delta	N/A	<0.010 mg/kg
S23-0132567	BHC gamma (Lindane)	< 2	<0.010 mg/kg
S23-0132567	BHC Total	N/A	<0.020 mg/kg
S23-0132567	Bifenazate	N/A	<0.010 mg/kg
S23-0132567	Bifenthrin	< 0.50	<0.010 mg/kg
S23-0132567	Bioresmethrin	N/A	<0.010 mg/kg
S23-0132567	Bitertanol	N/A	<0.010 mg/kg
S23-0132567	Buprofezin	N/A	<0.010 mg/kg
S23-0132567	Captan	N/A	<0.050 mg/kg
S23-0132567	Carbaryl	< 5	<0.010 mg/kg
S23-0132567	Chlordane	< 0.02	<0.010 mg/kg
S23-0132567	Chlorfenapyr	< 0.50	<0.010 mg/kg
S23-0132567	Chlorothalonil	< 7	<0.050 mg/kg
S23-0132567	Chlorpyrifos	< 0.50	<0.010 mg/kg
S23-0132567	Chlorpyrifos methyl	N/A	<0.010 mg/kg

# ANALYSIS REPORT

## Replacement Report

**Job No:** J2312-0919  
**Date Issued:** 21-Dec-2023  
**Report Number:** 268976

*This report replaces Report Number:* 268838

<b>Attention:</b>	John Conte	<b>Purchase Order:</b>	REC 8/12/23
<b>Client:</b>	Mason Bros	<b>Date Sampled:</b>	
<b>Address:</b>	1 Masons Lane WERRIBEE SOUTH VIC 3030	<b>Date Received:</b>	08-Dec-2023

S23-0132567	Chlorthal dimethyl	< 5	<0.010	<0.010 mg/kg
S23-0132567	Clofentezine	N/A	<0.010	<0.010 mg/kg
S23-0132567	Cyfluthrin	< 0.05	<0.010	<0.010 mg/kg
S23-0132567	Cyfluthrin beta	< 0.05	<0.010	<0.010 mg/kg
S23-0132567	Cyhalothrin	< 0.10	<0.010	<0.010 mg/kg
S23-0132567	Cyhalothrin lambda	< 0.10	<0.010	<0.010 mg/kg
S23-0132567	Cypermethrin	< 1.00	<0.010	<0.010 mg/kg
S23-0132567	Cypermethrin alpha	< 1	<0.010	<0.010 mg/kg
S23-0132567	Cyproconazole	N/A	<0.010	<0.010 mg/kg
S23-0132567	Cyprodinil	N/A	<0.010	<0.010 mg/kg
S23-0132567	DDD p,p	< 1	<0.010	<0.010 mg/kg
S23-0132567	DDE p,p	< 1	<0.010	<0.010 mg/kg
S23-0132567	DDT p,p	< 1	<0.010	<0.010 mg/kg
S23-0132567	DDT Total	< 1	<0.020	<0.020 mg/kg
S23-0132567	Deltamethrin	< 0.05	<0.010	<0.010 mg/kg
S23-0132567	Diazinon	< 0.70	<0.010	<0.010 mg/kg
S23-0132567	Dichlorvos	< 0.50	<0.010	<0.010 mg/kg
S23-0132567	Dicloran	N/A	<0.010	<0.010 mg/kg
S23-0132567	Dicofol	< 5	<0.010	<0.010 mg/kg
S23-0132567	Dieldrin	< 0.10	<0.010	<0.010 mg/kg
S23-0132567	Difenoconazole	N/A	<0.010	<0.010 mg/kg
S23-0132567	Dimethoate	< 0.30	<0.010	<0.010 mg/kg
S23-0132567	Dimethoate (Total)	< 0.30	<0.010	<0.010 mg/kg
S23-0132567	Dimethomorph	N/A	<0.010	<0.010 mg/kg
S23-0132567	Diphenylamine	< 0.05	<0.010	<0.010 mg/kg
S23-0132567	Disulfoton	N/A	<0.010	<0.010 mg/kg
S23-0132567	Endosulphan alpha	N/A	<0.010	<0.010 mg/kg
S23-0132567	Endosulphan beta	N/A	<0.010	<0.010 mg/kg
S23-0132567	Endosulphan sulphate	N/A	<0.010	<0.010 mg/kg
S23-0132567	Endosulphan Total	N/A	<0.020	<0.020 mg/kg
S23-0132567	Endrin Total	N/A	<0.020	<0.020 mg/kg
S23-0132567	Esfenvalerate	< 1	<0.010	<0.010 mg/kg
S23-0132567	Ethoprosfos	N/A	<0.010	<0.010 mg/kg
S23-0132567	Etoxazole	N/A	<0.010	<0.010 mg/kg

# ANALYSIS REPORT

## Replacement Report

**Job No:** J2312-0919  
**Date Issued:** 21-Dec-2023  
**Report Number:** 268976

*This report replaces Report Number:* 268838

**Attention:** John Conte  
**Client:** Mason Bros  
**Address:** 1 Masons Lane  
 WERRIBEE SOUTH VIC 3030

**Purchase Order:** REC 8/12/23  
**Date Sampled:**  
**Date Received:** 08-Dec-2023

S23-0132567	Fenamiphos	< 0.05	<0.010	<0.010 mg/kg
S23-0132567	Fenarimol	N/A	<0.010	<0.010 mg/kg
S23-0132567	Fenitrothion	< 0.10	<0.010	<0.010 mg/kg
S23-0132567	Fenoxycarb	N/A	<0.010	<0.010 mg/kg
S23-0132567	Fenthion	N/A	<0.010	<0.010 mg/kg
S23-0132567	Fenvalerate	< 1	<0.010	<0.010 mg/kg
S23-0132567	Fenvalerate (Total)	N/A	<0.010	<0.010 mg/kg
S23-0132567	Fipronil	< 0.05	<0.010	<0.010 mg/kg
S23-0132567	Fludioxonil	< 0.01	<0.010	<0.010 mg/kg
S23-0132567	Flusilazole	N/A	<0.010	<0.010 mg/kg
S23-0132567	Fluvalinate	N/A	<0.010	<0.010 mg/kg
S23-0132567	Fluvalinate tau	N/A	<0.010	<0.010 mg/kg
S23-0132567	HCB	N/A	<0.010	<0.010 mg/kg
S23-0132567	Heptachlor	< 0.05	<0.010	<0.010 mg/kg
S23-0132567	Heptachlor epoxide	< 0.05	<0.010	<0.010 mg/kg
S23-0132567	Hexaconazole	N/A	<0.010	<0.010 mg/kg
S23-0132567	Hexythiazox	N/A	<0.010	<0.010 mg/kg
S23-0132567	Imazalil	N/A	<0.010	<0.010 mg/kg
S23-0132567	Indoxacarb	< 2	<0.010	<0.010 mg/kg
S23-0132567	Iprodione	< 0.05	<0.010	<0.010 mg/kg
S23-0132567	Kresoxim methyl	N/A	<0.010	<0.010 mg/kg
S23-0132567	Linuron	< 0.05	<0.010	<0.010 mg/kg
S23-0132567	Malathion	< 2	<0.010	<0.010 mg/kg
S23-0132567	Metalaxyl	< 0.10	<0.010	<0.010 mg/kg
S23-0132567	Methamidophos	< 1	<0.010	<0.010 mg/kg
S23-0132567	Methidathion	< 0.10	<0.010	<0.010 mg/kg
S23-0132567	Metribuzin	N/A	<0.010	<0.010 mg/kg
S23-0132567	Mevinphos	< 0.30	<0.010	<0.010 mg/kg
S23-0132567	Monocrotophos	N/A	<0.010	<0.010 mg/kg
S23-0132567	Myclobutanil	N/A	<0.010	<0.010 mg/kg
S23-0132567	Omethoate	< 2	<0.010	<0.010 mg/kg
S23-0132567	Oxyfluorfen	< 0.05	<0.010	<0.010 mg/kg
S23-0132567	Pacllobutrazol	N/A	<0.010	<0.010 mg/kg
S23-0132567	Parathion ethyl	N/A	<0.010	<0.010 mg/kg

## ANALYSIS REPORT

### Replacement Report

**Job No:** J2312-0919  
**Date Issued:** 21-Dec-2023  
**Report Number:** 268976

*This report replaces Report Number:* 268838

<b>Attention:</b>	John Conte	<b>Purchase Order:</b>	REC 8/12/23
<b>Client:</b>	Mason Bros	<b>Date Sampled:</b>	
<b>Address:</b>	1 Masons Lane WERRIBEE SOUTH VIC 3030	<b>Date Received:</b>	08-Dec-2023

S23-0132567	Parathion methyl	N/A	<0.010	<0.010 mg/kg
S23-0132567	Penconazole	N/A	<0.010	<0.010 mg/kg
S23-0132567	Pendimethalin	< 0.05	<0.010	<0.010 mg/kg
S23-0132567	Penthiopyrad	< 7	<0.010	<0.010 mg/kg
S23-0132567	Permethrin	< 1	<0.010	<0.010 mg/kg
S23-0132567	Phenothrin	N/A	<0.010	<0.010 mg/kg
S23-0132567	Phorate	< 0.50	<0.010	<0.010 mg/kg
S23-0132567	Phosmet	N/A	<0.010	<0.010 mg/kg
S23-0132567	Piperonyl butoxide	< 8.00	<0.010	<0.010 mg/kg
S23-0132567	Pirimicarb	< 1.00	<0.010	<0.010 mg/kg
S23-0132567	Pirimiphos methyl	N/A	<0.010	<0.010 mg/kg
S23-0132567	Prochloraz	N/A	<0.010	<0.010 mg/kg
S23-0132567	Procymidone	N/A	<0.010	<0.010 mg/kg
S23-0132567	Profenofos	N/A	<0.010	<0.010 mg/kg
S23-0132567	Propargite	< 3	<0.010	<0.010 mg/kg
S23-0132567	Propiconazole	< 0.05	<0.010	<0.010 mg/kg
S23-0132567	Prothiofos	< 0.20	<0.010	<0.010 mg/kg
S23-0132567	Pyrethrins	< 1	<0.025	<0.025 mg/kg
S23-0132567	Pyrimethanil	N/A	<0.010	<0.010 mg/kg
S23-0132567	Pyriproxyfen	N/A	<0.010	<0.010 mg/kg
S23-0132567	Quintozene	< 0.02	<0.010	<0.010 mg/kg
S23-0132567	Sulfoxaflor	< 3	<0.010	<0.010 mg/kg
S23-0132567	Tebuconazole	N/A	<0.010	<0.010 mg/kg
S23-0132567	Tebufenpyrad	N/A	<0.010	<0.010 mg/kg
S23-0132567	Terbufos	N/A	<0.010	<0.010 mg/kg
S23-0132567	Tetradifon	< 5	<0.010	<0.010 mg/kg
S23-0132567	Tolclofos methyl	N/A	<0.010	<0.010 mg/kg
S23-0132567	Triadimefon	N/A	<0.010	<0.010 mg/kg
S23-0132567	Triadimenol	< 1	<0.010	<0.010 mg/kg
S23-0132567	Trichlorfon	< 0.10	<0.010	<0.010 mg/kg
S23-0132567	Vinclozolin	N/A	<0.010	<0.010 mg/kg

#### AT5 Chemicals Fresh Test List (TP/311 & 312)

S23-0132567	Azoxystrobin	< 1.00	<0.010	<0.010 mg/kg
S23-0132567	Boscalid	< 2	<0.010	<0.010 mg/kg

## ANALYSIS REPORT

### Replacement Report

**Job No:** J2312-0919  
**Date Issued:** 21-Dec-2023  
**Report Number:** 268976

*This report replaces Report Number:* 268838

<b>Attention:</b>	John Conte	<b>Purchase Order:</b>	REC 8/12/23
<b>Client:</b>	Mason Bros	<b>Date Sampled:</b>	
<b>Address:</b>	1 Masons Lane WERRIBEE SOUTH VIC 3030	<b>Date Received:</b>	08-Dec-2023

Sample ID	Chemical	Result	Limit	Unit
S23-0132567	Bromacil	N/A	<0.010	<0.010 mg/kg
S23-0132567	Carbendazim / Benomyl	N/A	<0.010	<0.010 mg/kg
S23-0132567	Chlorantraniliprole	< 0.50	<0.010	<0.010 mg/kg
S23-0132567	Dithianon	N/A	<0.10	<0.10 mg/kg
S23-0132567	Diuron	< 0.05	<0.020	<0.020 mg/kg
S23-0132567	Fenhexamid	< 0.10	<0.010	<0.010 mg/kg
S23-0132567	Fenpyroximate	< 0.10	<0.010	<0.010 mg/kg
S23-0132567	Flubendiamide	< 5	<0.010	<0.010 mg/kg
S23-0132567	Fluopyram	N/A	<0.010	<0.010 mg/kg
S23-0132567	Imidacloprid	< 0.50	<0.010	<0.010 mg/kg
S23-0132567	Methomyl	< 2.00	<0.010	<0.010 mg/kg
S23-0132567	Methomyl Oxime	< 2.00	<0.010	<0.010 mg/kg
S23-0132567	Pymetrozine	< 0.50	<0.010	<0.010 mg/kg
S23-0132567	Pyraclostrobin	< 0.10	<0.010	<0.010 mg/kg
S23-0132567	Spinetoram	< 0.20	<0.010	<0.010 mg/kg
S23-0132567	Spinosad	< 0.50	<0.010	<0.010 mg/kg
S23-0132567	Spirotetramat	< 7	<0.010	<0.010 mg/kg
S23-0132567	Tebufenozide	< 0.05	<0.010	<0.010 mg/kg
S23-0132567	Thiabendazole	< 0.03	<0.010	<0.010 mg/kg
S23-0132567	Thiacloprid	< 0.10	<0.010	<0.010 mg/kg
S23-0132567	Thiamethoxam	< 3.00	<0.010	<0.010 mg/kg
S23-0132567	Trifloxystrobin	< 0.05	<0.010	<0.010 mg/kg
S23-0132567	Thiophanate-methyl	< 0.10	<0.010	<0.01 mg/kg

**Note:** All samples are analysed on an 'as received' basis, all results are based on the sample received.  
This report is not to be reproduced except in full.

Please refer to the following link for the measurement of uncertainty values for all NATA accredited analysis

<https://services.awta.com.au/AFTMeasurementUncertainty/index.php>

N/A denotes no MRL available.

MRL stated is as per Food Standards Code guidelines.

LOR = Level of reporting.

Replacement Report: With MRL's

## ANALYSIS REPORT

### Replacement Report

**Job No:** J2312-0919  
**Date Issued:** 21-Dec-2023  
**Report Number:** 268976

*This report replaces Report Number:* 268838

**Attention:** John Conte  
**Client:** Mason Bros  
**Address:** 1 Masons Lane  
 WERRIBEE SOUTH VIC 3030

**Purchase Order:** REC 8/12/23  
**Date Sampled:**  
**Date Received:** 08-Dec-2023

**The sample(s) referred to in this report were analysed for the following determinant(s):**

Analysis	Method	Laboratory
AT3 Chemicals Test List	TP/311 & 312	Food Safety Laboratory - Werribee, VIC
AT5 Chemicals Fresh Test List	TP/312	Food Safety Laboratory - Werribee, VIC

**The results in this report were authorised by:**

Name	Title	Name	Title
Robert Rantino	National Laboratory Operations Manager		



Issued from Site : 2719