

ANALYSIS REPORT

Replacement Report

Job No: J2312-0919
Date Issued: 21-Dec-2023
Report Number: 268976

This report replaces Report Number: 268838

Attention: John Conte
Client: Mason Bros
Address: 1 Masons Lane
WERRIBEE SOUTH VIC 3030

Purchase Order: REC 8/12/23
Date Sampled:
Date Received: 08-Dec-2023

The following sample was analysed:

Sample ID

S23-0132566 Your Reference MASON 33 FENNEL
Product Fennel (bulb)
Description MASON 33 FENNEL

Analysis of this sample conducted between 08-Dec-2023 and 14-Dec-2023

Analysis Results

	Determinant	MRL	LOR	Result
AT3 Chemicals Test List (TP/311 & 312)				
S23-0132566	2-phenylphenol	< 0.10	<0.010	<0.010 mg/kg
S23-0132566	Abamectin	< 0.05	<0.010	<0.010 mg/kg
S23-0132566	Acephate	N/A	<0.010	<0.010 mg/kg
S23-0132566	Aldrin	N/A	<0.010	<0.010 mg/kg
S23-0132566	Atrazine	N/A	<0.010	<0.010 mg/kg
S23-0132566	Azinphos methyl	N/A	<0.010	<0.010 mg/kg
S23-0132566	Benalaxyl	N/A	<0.010	<0.010 mg/kg
S23-0132566	BHC alpha	N/A	<0.010	<0.010 mg/kg
S23-0132566	BHC beta	N/A	<0.010	<0.010 mg/kg
S23-0132566	BHC delta	N/A	<0.010	<0.010 mg/kg
S23-0132566	BHC gamma (Lindane)	< 2.00	<0.010	<0.010 mg/kg
S23-0132566	BHC Total	N/A	<0.020	<0.020 mg/kg
S23-0132566	Bifenazate	N/A	<0.010	<0.010 mg/kg
S23-0132566	Bifenthrin	< 5.00	<0.010	<0.010 mg/kg
S23-0132566	Bioresmethrin	N/A	<0.010	<0.010 mg/kg
S23-0132566	Bitertanol	N/A	<0.010	<0.010 mg/kg
S23-0132566	Buprofezin	< 0.05	<0.010	<0.010 mg/kg
S23-0132566	Captan	< 0.10	<0.050	<0.050 mg/kg
S23-0132566	Carbaryl	N/A	<0.010	<0.010 mg/kg
S23-0132566	Chlordane	< 0.02	<0.010	<0.010 mg/kg
S23-0132566	Chlorfenapyr	N/A	<0.010	<0.010 mg/kg
S23-0132566	Chlorothalonil	< 5.00	<0.050	<0.050 mg/kg
S23-0132566	Chlorpyrifos	< 0.01	<0.010	<0.010 mg/kg
S23-0132566	Chlorpyrifos methyl	N/A	<0.010	<0.010 mg/kg

ANALYSIS REPORT

Replacement Report

Job No: J2312-0919
Date Issued: 21-Dec-2023
Report Number: 268976

This report replaces Report Number: 268838

Attention:	John Conte	Purchase Order:	REC 8/12/23
Client:	Mason Bros	Date Sampled:	
Address:	1 Masons Lane WERRIBEE SOUTH VIC 3030	Date Received:	08-Dec-2023

S23-0132566	Chlorthal dimethyl	< 5.00	<0.010	<0.010 mg/kg
S23-0132566	Clofentezine	< 0.02	<0.010	<0.010 mg/kg
S23-0132566	Cyfluthrin	< 0.05	<0.010	<0.010 mg/kg
S23-0132566	Cyfluthrin beta	N/A	<0.010	<0.010 mg/kg
S23-0132566	Cyhalothrin	N/A	<0.010	<0.010 mg/kg
S23-0132566	Cyhalothrin lambda	N/A	<0.010	<0.010 mg/kg
S23-0132566	Cypermethrin	< 0.01	<0.010	<0.010 mg/kg
S23-0132566	Cypermethrin alpha	< 0.01	<0.010	<0.010 mg/kg
S23-0132566	Cyproconazole	< 0.01	<0.010	<0.010 mg/kg
S23-0132566	Cyprodinil	< 0.05	<0.010	<0.010 mg/kg
S23-0132566	DDD p,p	< 1	<0.010	<0.010 mg/kg
S23-0132566	DDE p,p	< 1	<0.010	<0.010 mg/kg
S23-0132566	DDT p,p	< 1.00	<0.010	<0.010 mg/kg
S23-0132566	DDT Total	< 1	<0.020	<0.020 mg/kg
S23-0132566	Deltamethrin	< 0.05	<0.010	<0.010 mg/kg
S23-0132566	Diazinon	< 0.70	<0.010	<0.010 mg/kg
S23-0132566	Dichlorvos	N/A	<0.010	<0.010 mg/kg
S23-0132566	Dicloran	N/A	<0.010	<0.010 mg/kg
S23-0132566	Dicofol	< 5.00	<0.010	<0.010 mg/kg
S23-0132566	Dieldrin	N/A	<0.010	<0.010 mg/kg
S23-0132566	Difenoconazole	< 0.02	<0.010	<0.010 mg/kg
S23-0132566	Dimethoate	N/A	<0.010	<0.010 mg/kg
S23-0132566	Dimethoate (Total)	N/A	<0.010	<0.010 mg/kg
S23-0132566	Dimethomorph	< 0.20	<0.010	<0.010 mg/kg
S23-0132566	Diphenylamine	N/A	<0.010	<0.010 mg/kg
S23-0132566	Disulfoton	N/A	<0.010	<0.010 mg/kg
S23-0132566	Endosulphan alpha	N/A	<0.010	<0.010 mg/kg
S23-0132566	Endosulphan beta	N/A	<0.010	<0.010 mg/kg
S23-0132566	Endosulphan sulphate	N/A	<0.010	<0.010 mg/kg
S23-0132566	Endosulphan Total	N/A	<0.020	<0.020 mg/kg
S23-0132566	Endrin Total	N/A	<0.020	<0.020 mg/kg
S23-0132566	Esfenvalerate	< 0.05	<0.010	<0.010 mg/kg
S23-0132566	Ethoprosfos	N/A	<0.010	<0.010 mg/kg
S23-0132566	Etoxazole	< 0.05	<0.010	<0.010 mg/kg

ANALYSIS REPORT

Replacement Report

Job No: J2312-0919
Date Issued: 21-Dec-2023
Report Number: 268976

This report replaces Report Number: 268838

Attention:	John Conte	Purchase Order:	REC 8/12/23
Client:	Mason Bros	Date Sampled:	
Address:	1 Masons Lane WERRIBEE SOUTH VIC 3030	Date Received:	08-Dec-2023

S23-0132566	Fenamiphos	N/A	<0.010	<0.010 mg/kg
S23-0132566	Fenarimol	N/A	<0.010	<0.010 mg/kg
S23-0132566	Fenitrothion	N/A	<0.010	<0.010 mg/kg
S23-0132566	Fenoxycarb	N/A	<0.010	<0.010 mg/kg
S23-0132566	Fenthion	N/A	<0.010	<0.010 mg/kg
S23-0132566	Fenvalerate	< 0.05	<0.010	<0.010 mg/kg
S23-0132566	Fenvalerate (Total)	N/A	<0.010	<0.010 mg/kg
S23-0132566	Fipronil	N/A	<0.010	<0.010 mg/kg
S23-0132566	Fludioxonil	< 0.02	<0.010	<0.010 mg/kg
S23-0132566	Flusilazole	N/A	<0.010	<0.010 mg/kg
S23-0132566	Fluvalinate	< 0.02	<0.010	<0.010 mg/kg
S23-0132566	Fluvalinate tau	< 0.02	<0.010	<0.010 mg/kg
S23-0132566	HCB	N/A	<0.010	<0.010 mg/kg
S23-0132566	Heptachlor	< 0.05	<0.010	<0.010 mg/kg
S23-0132566	Heptachlor epoxide	< 0.05	<0.010	<0.010 mg/kg
S23-0132566	Hexaconazole	N/A	<0.010	<0.010 mg/kg
S23-0132566	Hexythiazox	< 0.05	<0.010	<0.010 mg/kg
S23-0132566	Imazalil	< 0.05	<0.010	<0.010 mg/kg
S23-0132566	Indoxacarb	< 0.05	<0.010	<0.010 mg/kg
S23-0132566	Iprodione	< 0.10	<0.010	<0.010 mg/kg
S23-0132566	Kresoxim methyl	N/A	<0.010	<0.010 mg/kg
S23-0132566	Linuron	< 0.05	<0.010	<0.010 mg/kg
S23-0132566	Malathion	< 0.05	<0.010	<0.010 mg/kg
S23-0132566	Metalaxyl	< 0.10	<0.010	<0.010 mg/kg
S23-0132566	Methamidophos	N/A	<0.010	<0.010 mg/kg
S23-0132566	Methidathion	< 0.02	<0.010	<0.010 mg/kg
S23-0132566	Metribuzin	< 0.05	<0.010	<0.010 mg/kg
S23-0132566	Mevinphos	N/A	<0.010	<0.010 mg/kg
S23-0132566	Monocrotophos	N/A	<0.010	<0.010 mg/kg
S23-0132566	Myclobutanil	< 0.05	<0.010	<0.010 mg/kg
S23-0132566	Omethoate	< 2.00	<0.010	<0.010 mg/kg
S23-0132566	Oxyfluorfen	< 0.05	<0.010	<0.010 mg/kg
S23-0132566	Paclobutrazol	< 0.01	<0.010	<0.010 mg/kg
S23-0132566	Parathion ethyl	N/A	<0.010	<0.010 mg/kg

ANALYSIS REPORT

Replacement Report

Job No: J2312-0919
Date Issued: 21-Dec-2023
Report Number: 268976
 This report replaces Report Number: 268838

Attention:	John Conte	Purchase Order:	REC 8/12/23
Client:	Mason Bros	Date Sampled:	
Address:	1 Masons Lane WERRIBEE SOUTH VIC 3030	Date Received:	08-Dec-2023

S23-0132566	Parathion methyl	N/A	<0.010	<0.010 mg/kg
S23-0132566	Penconazole	< 0.02	<0.010	<0.010 mg/kg
S23-0132566	Pendimethalin	< 0.05	<0.010	<0.010 mg/kg
S23-0132566	Penthiopyrad	< 0.05	<0.010	<0.010 mg/kg
S23-0132566	Permethrin	< 0.05	<0.010	<0.010 mg/kg
S23-0132566	Phenothrin	N/A	<0.010	<0.010 mg/kg
S23-0132566	Phorate	N/A	<0.010	<0.010 mg/kg
S23-0132566	Phosmet	N/A	<0.010	<0.010 mg/kg
S23-0132566	Piperonyl butoxide	< 8.00	<0.010	<0.010 mg/kg
S23-0132566	Pirimicarb	< 1.00	<0.010	<0.010 mg/kg
S23-0132566	Pirimiphos methyl	N/A	<0.010	<0.010 mg/kg
S23-0132566	Prochloraz	< 0.10	<0.010	<0.010 mg/kg
S23-0132566	Procymidone	< 1.00	<0.010	<0.010 mg/kg
S23-0132566	Profenofos	< 0.02	<0.010	<0.010 mg/kg
S23-0132566	Propargite	< 3.00	<0.010	<0.010 mg/kg
S23-0132566	Propiconazole	< 0.05	<0.010	<0.010 mg/kg
S23-0132566	Prothiofos	N/A	<0.010	<0.010 mg/kg
S23-0132566	Pyrethrins	< 1.00	<0.025	<0.025 mg/kg
S23-0132566	Pyrimethanil	< 0.10	<0.010	<0.010 mg/kg
S23-0132566	Pyriproxyfen	N/A	<0.010	<0.010 mg/kg
S23-0132566	Quintozene	N/A	<0.010	<0.010 mg/kg
S23-0132566	Sulfoxaflor	< 0.01	<0.010	<0.010 mg/kg
S23-0132566	Tebuconazole	< 0.01	<0.010	<0.010 mg/kg
S23-0132566	Tebufenpyrad	N/A	<0.010	<0.010 mg/kg
S23-0132566	Terbufos	N/A	<0.010	<0.010 mg/kg
S23-0132566	Tetradifon	< 5.00	<0.010	<0.010 mg/kg
S23-0132566	Tolclofos methyl	N/A	<0.010	<0.010 mg/kg
S23-0132566	Triadimefon	< 0.05	<0.010	<0.010 mg/kg
S23-0132566	Triadimenol	< 0.05	<0.010	<0.010 mg/kg
S23-0132566	Trichlorfon	< 0.10	<0.010	<0.010 mg/kg
S23-0132566	Vinclozolin	N/A	<0.010	<0.010 mg/kg

AT5 Chemicals Fresh Test List (TP/311 & 312)

S23-0132566	Azoxystrobin	< 0.10	<0.010	<0.010 mg/kg
S23-0132566	Boscalid	< 5.00	<0.010	<0.010 mg/kg

ANALYSIS REPORT

Replacement Report

Job No: J2312-0919
Date Issued: 21-Dec-2023
Report Number: 268976

This report replaces Report Number: 268838

Attention: John Conte
Client: Mason Bros
Address: 1 Masons Lane
 WERRIBEE SOUTH VIC 3030

Purchase Order: REC 8/12/23
Date Sampled:
Date Received: 08-Dec-2023

S23-0132566	Bromacil	N/A	<0.010	<0.010 mg/kg
S23-0132566	Carbendazim / Benomyl	N/A	<0.010	<0.010 mg/kg
S23-0132566	Chlorantraniliprole	< 0.01	<0.010	<0.010 mg/kg
S23-0132566	Dithianon	N/A	<0.10	<0.10 mg/kg
S23-0132566	Diuron	N/A	<0.020	<0.020 mg/kg
S23-0132566	Fenhexamid	< 0.10	<0.010	<0.010 mg/kg
S23-0132566	Fenpyroximate	< 0.10	<0.010	<0.010 mg/kg
S23-0132566	Flubendiamide	< 0.05	<0.010	<0.010 mg/kg
S23-0132566	Fluopyram	N/A	<0.010	<0.010 mg/kg
S23-0132566	Imidacloprid	< 0.05	<0.010	<0.010 mg/kg
S23-0132566	Methomyl	< 0.05	<0.010	<0.010 mg/kg
S23-0132566	Methomyl Oxime	< 0.05	<0.010	<0.010 mg/kg
S23-0132566	Pymetrozine	< 0.02	<0.010	<0.010 mg/kg
S23-0132566	Pyraclostrobin	< 0.05	<0.010	<0.010 mg/kg
S23-0132566	Spinetoram	< 0.01	<0.010	<0.010 mg/kg
S23-0132566	Spinosad	< 0.01	<0.010	<0.010 mg/kg
S23-0132566	Spirotetramat	< 0.50	<0.010	<0.010 mg/kg
S23-0132566	Tebufenozide	N/A	<0.010	<0.010 mg/kg
S23-0132566	Thiabendazole	< 0.03	<0.010	<0.010 mg/kg
S23-0132566	Thiacloprid	< 0.10	<0.010	<0.010 mg/kg
S23-0132566	Thiamethoxam	< 0.02	<0.010	<0.010 mg/kg
S23-0132566	Trifloxystrobin	< 0.05	<0.010	<0.010 mg/kg
S23-0132566	Thiophanate-methyl	N/A	<0.010	<0.01 mg/kg

Note: All samples are analysed on an 'as received' basis, all results are based on the sample received.
 This report is not to be reproduced except in full.

Please refer to the following link for the measurement of uncertainty values for all NATA accredited analysis

<https://services.awta.com.au/AFTMeasurementUncertainty/index.php>

N/A denotes no MRL available.

MRL stated is as per Food Standards Code guidelines.

LOR = Level of reporting.

Replacement Report: With MRL's

ANALYSIS REPORT**Replacement Report**

Job No: J2312-0919
Date Issued: 21-Dec-2023
Report Number: 268976
This report replaces Report Number: 268838

Attention: John Conte
Client: Mason Bros
Address: 1 Masons Lane
WERRIBEE SOUTH VIC 3030

Purchase Order: REC 8/12/23
Date Sampled:
Date Received: 08-Dec-2023

The sample(s) referred to in this report were analysed for the following determinant(s):

Analysis	Method	Laboratory
AT3 Chemicals Test List	TP/311 & 312	Food Safety Laboratory - Werribee, VIC
AT5 Chemicals Fresh Test List	TP/312	Food Safety Laboratory - Werribee, VIC

The results in this report were authorised by:

<i>Name</i>	<i>Title</i>	<i>Name</i>	<i>Title</i>
Robert Rantino	National Laboratory Operations Manager		



Issued from Site : 2719